



Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 6/6/2022 Revision date: 6/6/2024 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: Mr Sheen Oxi ultra wash pre-wash
Type of product	: Fabric stain remover
Product code	: SH1071, SH1072
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture :

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd
9 London Rd Apex
P.O. Box 1939
1501 Benoni – Gauteng
South Africa
T (011) 421 7111
Contact: Jayson Clark

1.4. Emergency telephone number

Emergency number : (011) 421 7111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Oxidising Liquids, Category 1	H271
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Full text of H-statements: see section 16	

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA)	: Danger
Hazardous ingredients	: Hydrogen peroxide (H ₂ O ₂)
Hazard statements (GHS ZA)	: H271 - May cause fire or explosion; strong oxidiser
	H315 - Causes skin irritation
	H318 - Causes serious eye damage
Precautionary statements (GHS ZA)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P220 - Keep away from clothing and other combustible materials.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P283 - Wear fire resistant or flame retardant clothing.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water
	P305+P354+P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P306+P360 - IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P317 - Get medical help.
P321 - Specific treatment (see ... on this label).
P332+P317 - If skin irritation occurs: Get medical help.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use carbon dioxide (CO₂), sand, foam, extinguishing powder to extinguish.
P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P420 - Store separately.
P501 - Dispose of contents and container to a hazardous or special waste collection point.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause fire or explosion; strong oxidiser, Causes skin irritation, Causes serious eye damage, Harmful to aquatic life

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
nonylphenol, ethoxylated	CAS-No.: 9016-45-9	1.0 - 5.0	Acute Tox. 5 (Oral), H303 Aquatic Acute 3, H402
Hydrogen peroxide (H ₂ O ₂)	CAS-No.: 7722-84-1	1.0 - 5.0	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Aquatic Acute 2, H401

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Rinse skin with water/shower. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Hydrogen peroxide (H₂O₂) (7722-84-1)

South Africa - Occupational Exposure Limits (Airborne Pollutants)

Local name	Hydrogen peroxide
OEL TWA	2 mg/m ³
OEL TWA [ppm]	1 ppm
OEL STEL	3 mg/m ³
OEL STEL [ppm]	2 ppm
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear fire/flame resistant/retardant clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Light yellow.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 2 – 3
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause fire or explosion; strong oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

nonylphenol, ethoxylated (9016-45-9)

LD50 oral	4290 mg/kg bodyweight (Equivalent or similar to EU Method B.1: Acute Toxicity (Oral), Mouse, Read-across, Oral)
-----------	---

Hydrogen peroxide (H2O2) (7722-84-1)

LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:US EPA Toxic Substance Health Effects Test Guidelines (PB82-232984, 1982), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
--------------------	---

Skin corrosion/irritation	: Causes skin irritation. pH: 2 – 3
Serious eye damage/irritation	: Causes serious eye damage. pH: 2 – 3
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

nonylphenol, ethoxylated (9016-45-9)	
Animal studies and expert judgment for classification	False
Hydrogen peroxide (H2O2) (7722-84-1)	
Animal studies and expert judgment for classification	False

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

nonylphenol, ethoxylated (9016-45-9)	
ErC50 algae	50 mg/l (Equivalent or similar to EU Method C.3, 48 h, Pseudokirchneriella subcapitata, Static system, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	3.7 (Experimental value, Equivalent or similar to OECD 117, 25 °C)
Hydrogen peroxide (H2O2) (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Mr Sheen Oxi ultra wash pre-wash	
Persistence and degradability	No additional information available
nonylphenol, ethoxylated (9016-45-9)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Mr Sheen Oxi ultra wash pre-wash	
Bioaccumulative potential	No additional information available
nonylphenol, ethoxylated (9016-45-9)	
Partition coefficient n-octanol/water (Log Pow)	3.7 (Experimental value, Equivalent or similar to OECD 117, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Mr Sheen Oxi ultra wash pre-wash	
Mobility in soil	No additional information available
nonylphenol, ethoxylated (9016-45-9)	
Surface tension	32.3 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

nonylphenol, ethoxylated (9016-45-9)	
Partition coefficient n-octanol/water (Log Pow)	3.7 (Experimental value, Equivalent or similar to OECD 117, 25 °C)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

SANS
No data available

IMDG
No data available

IATA
No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

Mr Sheen Oxi ultra wash pre-wash

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 16: Other information

Issue date : 06/06/2022
Revision date : 06/06/2024

Full text of H-statements	
H226	Flammable liquid and vapour
H227	Combustible liquid
H271	May cause fire or explosion; strong oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.