

SECTION 1: Identification of the substance/mixture and of the supplier/undertaking**1.1. GHS product identifier**

Product form	: Mixture
Trade name	: SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla
Type of product	: Multi surface cleaner
Product code	: SH642, SH971
Product group	: Trade product

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Consumer uses: Private households (= general public = consumers)

1.4. Supplier's details**Manufacturer**

Shield Chemicals (Pty) Ltd
9 London Rd Apex
P.O. Box 1939
1501 Benoni – Gauteng
South Africa
T (011) 421 7111
Contact: Jayson Clark

1.5. Emergency phone number

Emergency number : (011) 421 7111

SECTION 2: Hazard identification**2.1. GHS classification of the substance/mixture and any national or regional information****Classification according to the United Nations GHS**

Aerosol, Category 1 H222;H229
Skin corrosion/irritation Not classified
Hazardous to the aquatic environment – Chronic Hazard Not classified
Full text of H-statements: see section 16
Adverse physicochemical, human health and environmental effects : Pressurised container: May burst if heated, Extremely flammable aerosol, Harmful to aquatic life

2.2. GHS label elements, including precautionary statements**Labelling according to the United Nations GHS**

Hazard pictograms (GHS ZA) :



Signal word (GHS ZA) : Danger
Hazard statements (GHS ZA) : H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
Precautionary statements (GHS ZA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P211 - Do not spray on an open flame or other ignition source.

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P-statements for label (GHS-ZA)

P251 - Do not pierce or burn, even after use.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.; P211 - Do not spray on an open flame or other ignition source.; P251 - Do not pierce or burn, even after use.; P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

2.3. Other hazards which do not result in classification or are not covered by the GHS

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
butane, liquefied, under pressure	CAS-No.: 106-97-8 EC Index-No.: 601-004-00-0	10.0 - 20.0	Aquatic Acute 3, H402 Aquatic Chronic Not classified
Isoparaffinic hydrocarbon	-	1.0 - 5.0	Flam. Liq. 3, H226 Acute Tox. 5 (Dermal), H313
Polydimethylsiloxane	CAS-No.: 63148-62-9	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Aquatic Acute Not classified
propane	CAS-No.: 74-98-6 EC Index-No.: 601-003-00-5	5.0 - 10.0	Flam. Gas 1, H220 Pyr. Gas Not classified Acute Tox. Not classified (Inhalation:gas) Aquatic Acute Not classified

SECTION 4: First aid measures

4.1. Description of necessary first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effect, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol.

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Explosion hazard : Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Propane
OEL TWA	1800 mg/m ³
	1000 ppm
Regulatory reference	Government Notice No. R 904
butane, liquefied, under pressure (106-97-8)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	n-Butane

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

butane, liquefied, under pressure (106-97-8)	
OEL TWA	1430 mg/m ³
	600 ppm
OEL STEL	1780 mg/m ³
	750 ppm
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Materials for protective clothing :
Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : White
Odour : Potpourri
Odour threshold : No data available
pH : 6.5 – 7.5
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : Extremely flammable aerosol.
Vapour pressure : No data available
Vapour pressure at 50°C : No data available
Relative vapour density at 20°C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Physical state	: Liquid
Appearance	: Liquid.

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

propane (74-98-6)

LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))
-----------------------------	---

butane, liquefied, under pressure (106-97-8)

LC50 Inhalation - Rat	1442.738 – 1443 mg/l 15 MIN
LC50 Inhalation - Rat [ppm]	800000 ppm 15 MIN

Polydimethylsiloxane (63148-62-9)

LD50 oral rat	> 5000 mg/kg bodyweight (Rat, Experimental value, Oral)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Rabbit, Similar product, Dermal)
LC50 Inhalation - Rat	> 11.582 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (aerosol), 14 day(s))

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Isoparaffinic hydrocarbon	
LD50 dermal	> 3160 mg/kg
Skin corrosion/irritation	: Not classified. pH: 6.5 – 7.5
Serious eye damage/irritation	: Not classified pH: 6.5 – 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

propane (74-98-6)	
LC50 - Fish [1]	50 mg/l (96 h, Pisces, Fresh water, QSAR, Estimated value)
EC50 96h - Algae [1]	12 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)
butane, liquefied, under pressure (106-97-8)	
LC50 - Fish [1]	1000 mg/l (96 h, Pimephales promelas, QSAR)
EC50 96h - Algae [1]	7.71 – 19.37 mg/l ECHA
Polydimethylsiloxane (63148-62-9)	
LC50 - Fish [1]	> 1000 mg/l (Pisces, Literature study, Nominal concentration)
EC50 - Other aquatic organisms [1]	> 1020 mg/l (96 h, Mytilus edulis, Literature study)
ErC50 algae	> 100 mg/l (72 h, Skeletonema costatum, Literature study, Nominal concentration)

12.2. Persistence and degradability

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla	
Persistence and degradability	Rapidly degradable
propane (74-98-6)	
Persistence and degradability	
butane, liquefied, under pressure (106-97-8)	
Persistence and degradability	
Polydimethylsiloxane (63148-62-9)	
Persistence and degradability	

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Isoparaffinic hydrocarbon

Persistence and degradability

12.3. Bioaccumulative potential

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Bioaccumulative potential No additional information available

propane (74-98-6)

Partition coefficient n-octanol/water (Log Kow) 1.1 – 2.8 (Experimental value, 20 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

butane, liquefied, under pressure (106-97-8)

Partition coefficient n-octanol/water (Log Kow) 2.8 (Experimental value, 20 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

Polydimethylsiloxane (63148-62-9)

Partition coefficient n-octanol/water (Log Kow) 2.86 – 4.25 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method)

Bioaccumulative potential Not bioaccumulative.

12.4. Mobility in soil

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Mobility in soil No additional information available

propane (74-98-6)

Surface tension No data available in the literature

Ecology - soil Not applicable (gas).

butane, liquefied, under pressure (106-97-8)

Surface tension No data available in the literature

Ecology - soil Not applicable (gas).

Polydimethylsiloxane (63148-62-9)

Ecology - soil Adsorbs into the soil.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal Considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

SANS	UN RTDG	IMDG	IATA
14.1. UN number			
1950	Not applicable	1950	1950

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	UN RTDG	IMDG	IATA
14.2. UN Proper Shipping Name			
AEROSOLS	Not applicable	AEROSOLS	Aerosols, flammable
Transport document description			
Not applicable	Not applicable	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1
14.3. Transport hazard class(es)			
2.1	Not applicable	2.1	2.1
	Not applicable		
14.4. Packing group, if applicable			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available			

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 63, 190
Limited quantities (SANS)	: See SP277
Excepted quantities (SANS)	: E0
Packagings, large packagings and IBCs Packing instructions (SANS)	: P003
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP17, PP87

UN RTDG

No data available

IMDG

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

14.7. Transport in bulk according to IMO instructions

Not applicable

SH642, SH971 Mr Sheen multi surface cleaner - Lavender & Vanilla

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Prohibited Hazardous Chemical Agents
Not regulated

15.1.2. National Environmental Management Act, 1998

Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)
Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 31/05/2024
Revision date : 31/05/2026

Full text of H-statements:	
H220	Extremely flammable gas
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa (HCA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.